


NOTES :

1. MATERIAL: H-ZLAF68N/H-ZF71
2. INTERPRET OPTICAL TOLERANCES PER ISO 10110
3. COAT TWO SURFACES AS FOLLOWS:
Rabs<0.6% AT 440-650nm
Rabs<1.2% AT 830~960nm
4. Coating area R1> $\varnothing 4.00$
R2> $\varnothing 4.64$
5. Coatings test methods per ISO 9211-4
Abrasion : degree of severity 04 x 1
Adhesion : degree of severity 03 x 3
6. SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B
7.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 6.2mm Dia., 2.5mm Thk. Achromatic Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1	Stock No.	1A002	Rev.	01	

NOTES:

1. MATERIAL:H-ZLAF68N

Nd : 1.883 ± 0.0003

Vd : $39.218 \pm 0.5\%$

2. INTERPRET OPTICAL TOLERANCES
PER ISO 10110

3. COAT R1 SURFACES AS FOLLOWS:

Rabs<0.6% AT 440-650nm

Rabs<1.2% AT 830~960nm

4. Coating area > $\varnothing 4.00$


5. Coatings test methods per ISO 9211-4

Abrasion : degree of severity 04 x 1

Adhesion : degree of severity 03 x 3

6. SURFACE QUALITY: 60-40, SCRATCH AND DIG
PER MIL-PRF-13830B

7.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

TITLE: 4.2mm Dia., 2mm Thk.
Double-Convex Lens

Material:		Surface Finish:			TITLE: 4.2mm Dia., 2mm Thk. Double-Convex Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1	Stock No.	1A002	Rev.	01	

NOTES:

1. MATERIAL:H-ZF71

Nd : 1.8081 ± 0.0003

Vd : $22.698 \pm 0.5\%$

2. INTERPRET OPTICAL TOLERANCES
PER ISO 10110

3. COAT R2 SURFACES AS FOLLOWS:

Rabs<0.6% AT 440-650nm

Rabs<1.2% AT 830~960nm


4. Coatings test methods per ISO 9211-4

Abrasion : degree of severity 04 x 1

Adhesion : degree of severity 03 x 3

5. SURFACE QUALITY: 60-40, SCRATCH AND DIG
PER MIL-PRF-13830B

6. The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 6.2mm Dia., 0.5mm Thk. Diverging Meniscus Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:	Stock No.	1A002	Rev.	01	
free	mm	A4	1/1					