

NOTES :

1. MATERIAL:H-ZLAF50E/H-ZF52

2. INTERPRET OPTICAL TOLERANCES
PER ISO 10110

3. SURFACE QUALITY:60-40, SCRATCH
AND DIG PER MIL-PRF-13830B


4. COAT SURFACES AS FOLLOW
R(abs.)<0.5% AT 430-650nm

5. Coatings test methods follow ISO9211

Abrasion : degree of severity 04 x 1

Adhesion : degree of severity 03 x 3

6.  The main inspection dimension



SY 上陽光學
SUN YANG OPTICS

Material:	Surface Finish:		TITLE: 10.8mm Dia., 3.2mm Thk. Achromatic Lens			
See note	See Note					
Scale:	Unit:	Size:	Sheet:	Stock No.	1A004	Rev. 01
free	mm	A4	1/1			

1.MATERIAL:H-ZLAF50E
Nd:1.804009± 0.0005
Vd:46.567682± 0.8%


2.INTERPRET OPTICAL TOLERANCES PER ISO 10110

3.COAT R1 SURFACES AS FOLLOWS:
R(abs.)<0.5% AT 430-650nm

4.Coatings test methods follow ISO9211-4
Abrasion : degree of severity 04 x 1
Adhesion : degree of severity 03 x 3

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B

6. ☐ The main inspection dimension



SY 上陽光學
SUN YANG OPTIC

Material:		Surface Finish:			TITLE: 10.8 mm Dia. 0.6mm Thk. Diverging Meniscus Lens		
See note		See Note					
Scale:	Unit:	Size:	Sheet:				
free	mm	A4	1/1	Stock No.	1A004	Rev.	01

1.MATERIAL:H-ZF52
Nd:1.846666± 0.0005
Vd:23.787324± 0.8%


2.INTERPRET OPTICAL TOLERANCES PER ISO 10110

3.COAT R2 SURFACES AS FOLLOWS:
R(abs.)<0.5% AT 430-650nm

4.Coatings test methods follow ISO9211-4
Abrasion : degree of severity 04 x 1
Adhesion : degree of severity 03 x 3

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B

6. ☐ The main inspection dimension



Material:		Surface Finish:			TITLE: 8mm Dia. 2.6mm Thk. Diverging Meniscus Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1	Stock No.	1A004	Rev.	01	