


NOTES :

1. Material : SF2 / N-BK7
2. Interpret optical tolerance per ISO10110
3. Coat R1 & R2 surface as follows:
Tavg>96.62% AT 415nm
Tavg>98.37% AT 435nm
Tavg>98.68% AT 550nm
Tavg>98.44 AT 620nm
Tavg>97.26% AT 650nm
4. Coating area R1> $\phi 33.2$; R2> $\phi 33.7$
5. Coatings test methods per ISO 9211-4
Abrasion : degree of severity 04 x 1
Adhesion : degree of severity 03 x 3
6. Surface quality 60-40 per MIL-PRF-13830B



SV 上陽光學
SUN YANG OPTICS

TITLE: 35mm Dia., 15mm Thk.
Achromatic Lens

Material:	Surface Finish:		Sheet: 1/1		
See note	See Note				
Scale:	Unit:	Size:	Stock No. 1A036		
free	mm	A4			
			Rev.	01	


A

- B



NOTES :

1. Material : N-BK7
2. Interpret optical tolerance per ISO10110
3. Coat R2 surface as follows:
Tavg>96.62% AT 415nm
Tavg>98.37% AT 435nm
Tavg>98.68% AT 550nm
Tavg>98.44 AT 620nm
Tavg>97.26% AT 650nm
4. Coating area R1>φ33.7
5. Coatings test methods per ISO 9211-4
Abrasion : degree of severity 04 x 1
Adhesion : degree of severity 03 x 3
6. Surface quality 60-40 per MIL-PRF-13830B



SV 上陽光學
SUN YANG OPTICS

TITLE: 34.9mm Dia., 12.5mm Thk.
Double-Convex Lens

Material:		Surface Finish:			TITLE: 34.9mm Dia., 12.5mm Thk. Double-Convex Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1					
Stock No.		1A036		Rev.	01			