



NOTES:

- 1.MATERIAL: H-ZLAF53B/H-FK61/H-ZLAF53B
- 2.INTERPRET OPTICAL TOLERANCES PER ISO 10110
- 3.COAT RI SURFACE AS FOLLOWS:
R(abs.)<0.3% AT 430-650nm
COAT R2 SURFACE AS FOLLOWS:
R(abs.)<0.5% AT 430-650nm
- 4.COATINGS SHALL MEET ADHESION USING 3M
TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST
- 5.SURFACE QUALITY:80-50,SCRATCH AND DIG PER
MIL-PRF-13830B
6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 18.9mm Dia., 8.078mm Thk. Achromatic Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1		Stock No.	1A020	Rev.	01

NOTES:

1. MATERIAL: H-ZLAF53B

Nd: 1.833996±0.0005

Vd: 37.2291±0.5%

2. INTERPRET OPTICAL TOLERANCES PER ISO 10110

3. R2 SURFACE without COATING

COAT RI SURFACE AS FOLLOWS:


R(abs.)<0.3% AT 430-650nm

4. COATINGS SHALL MEET ADHESION USING

3M TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST

5. SURFACE QUALITY: 80-50, SCRATCH AND DIG PER MIL-PRF-13830B

6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 15.44mm Dia., 0.8mm Thk. Diverging Meniscus Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:	Stock No. 1A020 Rev. 01				
free	mm	A4	1/1					

NOTES:

1. MATERIAL: FCD1

Nd: 1.496997± 0.0005

Vd: 81.6084± 0.5%


2. INTERPRET OPTICAL TOLERANCES PER
ISO 10110

3. TWO SURFACES without COATING


4. COATINGS SHALL MEET ADHESION USING 3M
TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER
TEST

5. SURFACE QUALITY: 80-50, SCRATCH AND DIG
PER MIL-PRF-13830B

6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 15.44mm Dia., 6.451mm Thk. Double-Convex Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:		Stock No. 1A020 Rev. 01			
free	mm	A4	1/1					

NOTES:

1. MATERIAL: H-ZLAF53B

Nd: 1.833996± 0.0005

Vd: 37.2291± 0.5%

2. INTERPRET OPTICAL TOLERANCES PER ISO 10110

3. RI SURFACE without coating

COAT R2 SURFACE AS FOLLOWS:


R(abs.)<0.5% AT 430-650nm

4. COATINGS SHALL MEET ADHESION USING

3M TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST

5. SURFACE QUALITY: 80-50, SCRATCH AND DIG PER MIL-PRF-13830B

6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 18.9mm Dia., 0.826mm Thk Diverging Meniscus Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:	Stock No. 1A020 Rev. 01				
free	mm	A4	1/1					