


NOTES :

1. MATERIAL:H-ZF39 / H-FK61
2. INTERPRET OPTICAL TOLERANCES PER ISO 10110
3. COAT TWO SURFACES AS FOLLOWS:
 $R(\text{abs.}) < 0.5\%$ AT 430-650nm
 $T(\text{Abs.}) > 97.0\%$ AT 450nm
 $T(\text{Abs.}) > 97.0\%$ AT 550nm
 $T(\text{Abs.}) > 97.0\%$ AT 630nm
4. COATINGS SHALL MEET ADHESION USING 3M TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST
5. SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B
6.  The main inspection dimension



SY 上陽光學
SUN YANG OPTICS


Material:		Surface Finish:			TITLE: 22mm Dia., 5.49mm Thk. Achromatic Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:		Stock No.	1A025	Rev.	01
free	mm	A4	1/1					

1.MATERIAL:H-ZF39
Nd:1.666805± 0.0005
Vd:33.056453± 0.5%

3.COAT R1 SURFACES AS FOLLOWS:
Rabs<0.5% AT 430-650nm

5.SURFACE QUALITY:60-40,SCRATCH AND DIG
PER MIL-PRF-13830B

6. The main inspection dimension



SY 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 22mm Dia., 1.0mm Thk. Double-Concave Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1	Stock No.	1A025	Rev.	01	

NOTES:

1.MATERIAL:H-FK61

Nd:1.496998± 0.0005

Vd:81.594687± 0.8%

2.INTERPRET OPTICAL TOLERANCES PER ISO 10110


3.COAT R2 SURFACES AS FOLLOWS:

Rabs<0.5% AT 430-650nm

4.COATINGS SHALL MEET ADHESION USING 3M TYPE-600
TAPE AND 1KG MIL-E-12379B RUBBER TEST

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER
MIL-PRF-13830B

6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material: See note		Surface Finish: See Note			TITLE: 19.4mm Dia., 4.49mm Thk. Double-Convex Lens			
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1	Stock No.	1A025	Rev.	01	