


NOTES :

1. MATERIAL:H-F13 / H-ZLAF52A
2. INTERPRET OPTICAL TOLERANCES PER ISO 10110
3. COAT TWO SURFACES AS FOLLOWS:
 Rabs<0.5% AT 430-650nm
 Tabs>97.0% AT 450nm
 Tabs>97.0% AT 550nm
 Tabs>97.0% AT 630nm
4. COATINGS SHALL MEET ADHESION USING 3M TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST
5. SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B
6.  The main inspection dimension



SY 上陽光學
SUN YANG OPTICS

Material: See note		Surface Finish: See Note			TITLE: 25.7mm Dia., 5.49mm Thk. Achromatic Lens			
Scale:	Unit:	Size:	Sheet:					
free	mm	A4	1/1		Stock No.	1A029	Rev.	01

NOTES:

1.MATERIAL:H-F13
Nd:1.625886± 0.0005
Vd:35.71379± 0.8%


2.INTERPRET OPTICAL TOLERANCES PER ISO 10110

3.COAT R1 SURFACES AS FOLLOWS:
Rabs<0.5% AT 430-650nm

4.COATINGS SHALL MEET ADHESION USING 3M
TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER
MIL-PRF-13830B

6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 25.62mm Dia., 1.1mm Thk. Diverging Meniscus Lens				
See note		See Note							
Scale:	Unit:	Size:	Sheet:	Stock No.		1A029		Rev. 01	
free	mm	A4	1/1						

NOTES:

1.MATERIAL:H-ZLAF52A

Nd:1.806105± 0.0005

Vd:41.0235± 0.5%

2.INTERPRET OPTICAL TOLERANCES PER ISO 10110


3.COAT R2 SURFACES AS FOLLOWS:

Rabs<0.5% AT 430-650nm

4.COATINGS SHALL MEET ADHESION USING 3M
TYPE-600 TAPE AND 1KG MIL-E-12379B RUBBER TEST

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER
MIL-PRF-13830B

6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

Material: See note		Surface Finish: See Note			TITLE: 25.7mm Dia., 4.39mm Thk. Diverging Meniscus Lens			
Scale: free	Unit: mm	Size: A4	Sheet: 1/1					
Stock No.		1A029		Rev.		01		